

AUTHOR INDEX

- AHNELT-RONNE, I. *see* NIELSEN, O.H.
 ALARCON-SEGOVIA, D. *see* MARTINEZ-CORDERO, E.
 ALCOCER-VARELA, J. *see* MARTINEZ-CORDERO, E.
 AL SAATI, T. *see* LAURENT, G.
 AMLOT, P.L. *see* SAMUEL, D.J.
 ANDREANI, D. *see* DI MARIO, U.
 ANTONEN, J. & KROH, K. Interleukin 2 production in HTLV-III/LAV infection: evidence of defective antigen-induced but normal mitogen-induced IL-2 production, 489
 ARCHER, J.R. *see* KIRK, A.P.
 ATHERTON, M.A. *see* McLACHLAN, S.M.
 AUER, G. *see* JONSSON, J.
 AURIAULT, C. *see* DAMONNEVILLE, M.
 AURIAULT, C. *see* GOSSET, P.
 BALDWIN, W.M. *see* HENNY, F.C.
 BALL, E.D. *see* LI SHEN
 BALLESTRERO, A. *see* DALLEGRI, F.
 BALOW, J.E. *see* DJEU, J.Y.
 BALTZ, M.L. *see* HUNNEYBALL, I.M.
 BANDYOPADHYAY, S. *see* ITO, M.
 BARABAS, A.Z., CORNISH, J. & LANNIGAN, R. Stimulation of circulating autoantibody levels in the rat with established progressive passive Heymann nephritis, 34
 BARCELLINI, W. *see* MERONI, P.L.
 BARTELS, B. *see* PEEST, D.
 BELLINGER, C.M. *see* ISON, C.A.
 BELOSEVIC, M., *see* FAUBERT, G.M. Comparative studies of inflammatory responses in susceptible and resistant mice infected with *Giardia muris*, 622
 BENNETT, J.E. *see* HENDERSON, D.K.
 BERNY, M. *see* KAZYUMBA, G.
 BHOOPALAM, N. *see* DREXLER, H.G.
 BINFORD, C.H. *see* MODLIN, R.L.
 BLAETTLER, A. *see* FARMER, L.M.
 BODO, I. *see* PERL, A.
 BORSEY, D.Q. *see* DI MARIO, U.
 BOTTAZZO, G.F. *see* PUJOL-BORRELL, R.
 BOVILL, D. *see* BRENNAN, F.M.
 BRENNAN, F.M., WILLIAMS, D.G., BOVILL, D., STOCKS, M.R. & MAINI, R.N. Administration of monoclonal anti-Sm antibody prolongs the survival and renal function of MRL-lpr/lpr mice, 42
 BRENNAN, F.M. *see* WILLIAMS, D.G.
 BRIDGES, C.G. & EDINGTON, N. Innate immunity during Equid Herpesvirus 1 (EHV-1) infection, 172
 BRIGHOUSE, G. *see* KAZYUMBA, G.
 BROLIN, R.E. *see* EBERT, E.C.
 BRUNKHORST, U. *see* PEEST, D.
 BUCKLEY, R. *see* LEICKLY, F.E.
 BUTCHER, R.G. *see* CAMPBELL, D.A.
 CAMPBELL, D.A., DU BOIS, R.M., BUTCHER, R.G. & POULTER, L.W. The density of HLA-DR antigen expression on alveolar macrophages is increased in pulmonary sarcoidosis, 165
 CAMPBELL, A.M. *see* GHOSH, S.
 CAPRON, A. *see* DAMONNEVILLE, M.
 CAPRON, A. *see* FELDMEIER, H.
 CAPRON, A. *see* GOSSET, P.
 CAPRON, M. *see* NOGUEIRA-QUEIROZ, J.A.
 CARSWELL, F. *see* MUKHERJEE, S.
 CLARK, S.C. *see* ITO, M.
 CLARK, F. *see* McLACHLAN, S.M.
 CLARKE, B.F. *see* DI MARIO, U.
 COLE, P.J. *see* FULLER, R.W.
 COLIZZI, V. *see* PICCOLELLA, E.
 CONTRAS, G. *see* DI MARIO, U.
 COOPER, M.D. *see* LUZI, G.
 CORNISH, J. *see* BARABAS, A.Z.
 CRAIN, M.J. *see* LUZI, G.
 CRISTEA, A. *see* RUS, H.G.
 CROSSLEY, M.J. *see* HUNNEYBALL, I.M.
 CRUCHAUD, A. *see* KAZYUMBA, G.
 CURREY, H.L.F. *see* KIRK, A.P.
 DAFALLA, A.A. *see* FELDMEIER, H.
 DALLEGRI, F., BALLESTRERO, A., FRUMENTO, G. & PATRONE, F. Interference of target cell catalase with an early step of the neutrophil cytolytic pathway, 664
 DALLMANN, I. *see* PEEST, D.
 D'AMICO, G. *see* MERONI, P.L.
 DAMONNEVILLE, M., AURIAULT, C., VERWAERDE, C., DELANOYE, A., PIERCE, R. & CAPRON, A. Protection against experimental *Schistosoma mansoni* schistosomiasis achieved by immunization with schistosomula released products antigens (SRP-A): role of IgE antibodies, 244
 DAWSON, S.G. *see* ISON, C.A.
 DE ALENCAR, J.E. *see* FELDMEIER, H.
 DEICHER, H. *see* PEEST, D.
 DELANOYE, A. *see* DAMONNEVILLE, M.
 DEL PRETE, G.F., VERCELLI, D., TIRI, A., MAGGI, E., MARIOTTI, S., PINCHERA, A., RICCI, M. & ROMAGNANI, S. In vivo activated cytotoxic T cells in the thyroid infiltrate of patients with Hashimoto's thyroiditis, 140
 DELSOL, G. *see* LAURENT, G.
 DE MESSIAS, I.T. *see* MCRURY, J.
 DESSAINT, J.P. *see* FELDMEIER, H.
 DESSAINT, J.P. *see* NOGUEIRA-QUEIROZ, J.A.
 DIANZANI, F. *see* PICCOLELLA, E.
 DICKINSON, A. *see* McLACHLAN, S.M.
 DIEPPE, P.A. *see* WHICHER, J.T.
 DILLON, S.B. *see* SPENCER, J.
 DI MARIO, U., BORSEY, D.Q., CONTRAS, G., PROWSE, C.V., CLARKE, B.F. & ANDREANI, D. The relationship of soluble immune complexes, insulin antibodies and insulin-anti-insulin complexes to platelet and coagulation factors in type 1 diabetic patients with and without proliferative retinopathy, 57
 DINANT, H.J. *see* VAN BOHEMEN, CH.G.
 DI PADOVA, C. *see* DI PADOVA, F.
 DI PADOVA, F., DI PADOVA, C., ROVAGNANI, P. & TRITAPEPE, R. Appearance of spontaneously Ig-secreting B cells in human peripheral blood after surgery, 582

- DJEU, J.Y., KASAHARA, T., BALOW, J.E. & TSOKOS, G.C. Decreased interleukin 2 inhibitor in sera of patients with autoimmune disorders, 279
- DOERING, E. *see* FELDMEIER, H.
- DOLEI, A. *see* PICCOLELLA, E.
- DOLLERY, M. *see* FULLER, R.W.
- DOSHI, M. *see* PUJOL-BORRELL, R.
- DOS REIS, G.A. *see* NOBREGA, A.F.
- DREXLER, H.G., MENON, M., KLEIN, M., BHOOPALAM, N., MESSMORE, H.L. & MINOWADA, J. Correlation of surface marker expression with morphologically and immunologically defined subclasses of acute myeloid leukaemias, 363
- DU BOIS, R.M. *see* CAMPBELL, D.A.
- DUFFY, S.W. *see* STEPHENS, S.
- EBERT, E.C., ROBERTS, A.I., BROLIN, R.E. & RASKA, K. Examination of the low proliferative capacity of human jejunal intraepithelial lymphocytes, 148
- EDINGTON, N. *see* BRIDGES, C.G.
- EILAT, D. Anti-DNA antibodies: problems in their study and interpretation, 215
- EILAT, D., ZLOTNICK, A.Y. & FISCHER, R. Evaluation of the cross-reaction between anti-DNA and anti-cardiolipin antibodies in SLE and experimental animals, 269.
- ELMGREEN, J. *see* NIELSEN, O.H.
- ENGLEMAN, E.G. *see* GATENBY, P.A.
- ERHARDT, K. *see* JONSSON, J.
- EUROPEAN GROUP FOR IMMUNODEFICIENCIES. Intravenous gammaglobulin for immunodeficiency: report from the European Group for Immunodeficiencies (EGID), 683
- FAGRAEUS, A. *see* JONSSON, J.
- FALCHUK, Z.M. *see* PRETELL, J.O.
- FALK, R.E. *see* TEODORCZYK-INJEYAN, J.A.
- FANGER, M.W. *see* LI SHEN
- FARMER, L.M., WATT, G., BLAETTLER, A., LOUTIS, N. & FEIGE, U. Delayed type hypersensitivity (DTH) to type II collagen (CII) in DBA-1 mice, 329
- FAUBERT, G.M. *see* BELOSEVIC, M.
- FEIGE, U. *see* FARMER, L.M.
- FELDMANN, M. *see* PUJOL-BORRELL, R.
- FELDMEIER, H., NOGUEIRA-QUEIROZ, J.A., PEIXOTO-QUEIROZ, M.A., DOERING, E., DESSAINT, J.P., DE ALENCAR, J.E., DAFALLA, A.A. & CAPRON, A. Detection and quantification of circulating antigen in schistosomiasis by monoclonal antibody II. The quantification of circulating antigens in human schistosomiasis mansoni and haematobium: relationship to intensity of infection and disease status, 232
- FISCHER, R. *see* EILAT, D.
- FLORESCU, P. *see* RUS, H.G.
- FORNASIERI, A. *see* MERONI, P.L.
- FRANZETTI, F. *see* LAZZARIN, A.
- FRUMENTO, G. *see* DALLEGRI, F.
- FULLER, R.W., MORRIS, P.K., RICHMOND, R., SYKES, D., VARNDELL, I.M., KEMENY, D.M., COLE, P.J., DOLLERY, C.T. & MACDERMOTT, J. Immunoglobulin E-dependent stimulation of human alveolar macrophages: significance in type 1 hypersensitivity, 416
- GALLI, M. *see* LAZZARIN, A.
- GASCH, S. *see* PEEST, D.
- GATENBY, P.A. & ENGELMAN, E.G. Immunoglobulin production in the autologous MLR: target of the suppressor-amplifier circuit, 401
- GENTA, R.M. *see* MCCRURY, J.
- GERGELY, P. *see* PERL, A.
- GHOSH, S. & CAMPBELL, A.M. Assay dependent specificities of monoclonal antibodies to bacterial antigens, 443
- GILBERT, A.M. *see* WHICHER, J.T.
- GLASS, E.J., STEWART, J. & WEIR, D.M. Altered immune function in alloxan-induced diabetes in mice, 614
- GLATT, M. *see* FARMER, L.M.
- GLEICHMANN, E. *see* KIMURA, M.
- GLYNN, A.A. *see* ISON, C.A.
- GOLAY, J.T. & WEBSTER, A.D.B. B Cells in patients with X-linked and 'common variable' hypogammaglobulinaemia, 100
- GONZALEZ-CABELLO, R. *see* PERL, A.
- GORMUS, B.J. *see* MODLIN, R.L.
- GOSSET, P., PRIN, L., CAPRON, M., AURIAULT, C., TONNEL, A.-B. & CAPRON, A. Presence of factors chemotactic for the granulocytes in hyper eosinophilic syndrome sera: relation with alterations in eosinophil migration, 654
- GRAY, D. *see* PUJOL-BORRELL, R.
- GRUMET, F.C. *see* VAN BOHEMEN, CH.G.
- GUYRE, P.M. *see* LI SHEN
- HADFIELD, S.G. *see* ISON, C.A.
- HARBOE, M. *see* MOLLNES, T.E.
- HARDIE, D. *see* NATHAN, P.D.
- HARVEY, C. & LONGBOTTOM, J.L. Characterization of a major antigenic component of *Aspergillus fumigatus*, 207
- HASHIMOTO, F., SAKIYAMA, Y. & MATSUMOTO, S. The suppressive effect of gammaglobulin preparation in in-vitro pokeweed-mitogen induced immunoglobulin production, 409
- HEAP, P. *see* MUKHERJEE, S.
- HENDERSON, D.K., KAN, V.L. & BENNETT, J.E. Tolerance to cryptococcal polysaccharide in cured cryptococcosis patients: failure of antibody secretion *in vitro*, 639
- HENNY, F.C., VAN ES, A., OLIJANS, P.J., BALDWIN, W.M., TANKE, H.J., VAN ES L.A. & PAUL, L.C. Prognostic value of T lymphocyte subset ratios for renal transplant survival in patients on different immunosuppressive regimens, 373
- HIYAMA, Y. *see* KOHNO, Y.
- HOFFMAN-GOETZ, L., KEIR, R. & YOUNG, C. Modulation of cellular immunity in malnutrition: effect of interleukin 1 on suppressor T cell activity, 381
- HOFFMANN, M. *see* PEEST, D.
- HOMSEY, J., MORROW, W.J.W. & LEVY, J.A. Nutrition and autoimmunity: a review, 473
- HOSoya, T. *see* KOHNO, Y.
- HOWARD, C.F. *see* WILSON, B.J.
- HUITGER, T. *see* MCCRURY, J.
- HUNNEYBALL, I.M., SPOWAGE, M., CROSSLEY, M.J., ROWE, I.F. & BALTZ, M.L. Acute phase in protein changes in antigen-produced mono-articular arthritis in rabbits and mice, 311
- HUTTON, C. *see* WHICHER, J.T.

- INVERNIZZI, F. *see* MERONI, P.L.
 ISAACSON, P.G. *see* SPENCER, J.
 ISON, C.A., HADFIELD, S.G., BELLINGER, C.M., DAWSON, S.G. & GLYNN, A.A. The specificity of serum and local antibodies in female gonorrhoea, 199
 ITO, M., BANDYOPADHYAY, S., MATSUMOTO-KOBAYASHI, M., CLARK, S.C., MILLER, D. & STARR, S.E. Interleukin 2 enhances natural killing of varicella-zoster virus-infected targets, 182
 JAGLAI, S. *see* SHORE, A.
 JOHNSON, G.D. *see* NATHAN, P.D.
 JONSSON, J., AUER, G., ERHARDT, K., SCHILLING, W., ORVELL, C. & FAGRAEUS, A. Affinity of human carcinoma cell nuclei for polyinosinic acid demonstrated by monoclonal antibodies, 605
 KAN, V.L. *see* HENDERSON, D.K.
 KASAHARA, T. *see* DJEU, J.Y.
 KAWASAKI, K. *see* YAMAMOTO, T.
 KAZYUMBA, G., BERNEY, M., BRIGHOUSE, G., CRU-CHARD, A. & LAMBERT, P.H. Expression of the B cell repertoire and autoantibodies in human African trypanosomiasis, 10
 KEIR, R. *see* HOFFMAN-GOETZ, L.
 KEMENY, D.M. *see* FULLER, R.W.
 KEYSTONE E.C. *see* SHORE, A.
 KHAN, M. *see* NATHAN, P.D.
 KIHARA, I. *see* YAMAMOTO, T.
 KIMURA, S., SAKURAI, A., MORIOKA, T., MATSUI, K., NAKAMURA, T., YAKATA, M., OTTE, T. & SHIMIZU, F. Monoclonal autoantibodies in Heymann nephritis, 28
 KIMURA, M., VAN RAPPARD-VAN DER VEEN, F. & GLEICHMANN, E. Requirement of H-2-subregion differences for graft versus-host autoimmunity in mice: superiority of the differences at Class-II H-2 antigens (I-A/I-E), 542
 KING, M.A., ROCHE, W.R. & NELSON, D.S. Endothelial cell enhancement of PWM induced immunoglobulin synthesis by peripheral blood mononuclear cells, 589
 KIRK, A.P., O'HARA, B.P., MAGEED, R.A.K., MCMAHON, M.S., MCCARTHY, D., MENASHI, S., ARCHER, J.R. & CURREY, H.L.F. Pepsinogen-immunoglobulin binding artefact in 'collagen' preparations, 671
 KLEIN, M. *see* DREXLER, H.G.
 KOHNO, Y., HIYAMA, Y., SHIMOJO, N., NIIMI, H., NAKAJIMA, H. & HOSOYA, T. Autoantibodies to thyroid peroxidase in patients with chronic thyroiditis: effect of antibody binding on enzyme activities, 534
 KROHN, K. *see* ANTONEN, J.
 KUHAGAWA, H. *see* LUZI, G.
 LACHMANN, P.J. *see* SAMUEL, D.J.
 LAMBERT, P.H. *see* KAZYUMBA, G.
 LANDHEER, J.E. *see* VAN BOHEMEN, CH.G.
 LANE, P.J.L. & MACLENNAN, I.C.M. Impaired IgG2 anti-pneumococcal antibody responses in patients with recurrent infection and normal IgG2 levels but no IgA, 427
 LANNIGAN, R. *see* BARABAS, A.Z.
 LARYEA, E. *see* MENGISTU, M.
 LAURENT, G., AS SAATI, T., OLIVE, D., LAURENT, J.C., PONCELET, P. & DELSOL, G. Expression of Tac antigen in B cell lymphomas, 354
 LAURENT, J.C. *see* LAURENT, G.
 LAZZARIN, A., UBERTI FOPPA, C., GALLI, M., MANTOVANI, A., POLI, G., FRANZETTI, F. & NOVATI, R. Impairment of polymorphonuclear leucocyte function in patients with acquired immunodeficiency syndrome and with lymphadenopathy syndrome, 105
 LEA, T. *see* MOLLNES, T.E.
 LEICKLY, F.E. & BUCKLEY, R. Variability in B cell maturation and differentiation in X-linked agammaglobulinaemia, 90
 LEVY, J.A. *see* HOMS, J.
 LING, N.R. *see* NATHAN, P.D.
 LI SHEN, GUYRE, P.M., BALL, E.D. & FANGER, M.W. Glucocorticoid enhances gamma interferon effects on human monocyte antigen expression and ADCC, 387
 LOMBARDI, G. *see* PICCOLELLA, E.
 LONGBOTTOM, J.L. *see* HARVEY, C.
 LOUIS, N. *see* FARMER, L.M.
 LUTSCH, C. *see* NOGUEIRA-QUEIROZ, J.A.
 LUZI, G., KUHAGAWA, H., CRAIN, M.J. & COOPER, M.D. Analysis of IgG subclass production in cell cultures from IgA deficient patients and in normal controls as a function of age, 434
 MACDERMOTT, J. *see* FULLER, R.W.
 MACDONALD, T.T. *see* SPENCER, J.
 MACLENNAN, I.C.M. *see* LANE, P.J.L.
 MAGEED, R.A.K. *see* KIRK, A.P.
 MAGGI, E. *see* DEL PRETE, G.F.
 MAINI, R.N. *see* BRENNAN, F.M.
 MAINI, R.N. *see* WILLIAMS, D.G.
 MALDONADO, M.S. *see* NOBREGA, A.F.
 MALLE, D.K. Idiotypes and autoimmunity, 1
 MALLEY, A. *see* WILSON, B.J.
 MANTOVANI, A. *see* LAZZARIN, A.
 MARIOTTI, S. *see* DEL PRETE, G.F.
 MARTIN, L.N. *see* MODLIN, R.L.
 MARTINEZ-CORDERO, E., ALCOCER-VALEA, J. & ALARCON-SEGOVIA, D. Stimulating and differentiation factors for human B lymphocytes in systemic lupus erythematosus, 598
 MATSUI, K. *see* KIMURA, S.
 MATSUMOTO-KOBAYASHI, M. *see* ITO, M.
 MATSUMOTO, S. *see* HASHIMOTO, F.
 MCCARTHY, D. *see* KIRK, A.P.
 MCLACHLAN, S.M., PEGG, C.A.S., ATHERTON, M.C., MIDDLETON, S.L., DICKINSON, A., CLARK, F., PROCTOR, S.J., PROUD, G. & REES SMITH, B. Subpopulations of thyroid autoantibody secreting lymphocytes in Graves' and Hashimoto thyroid glands, 319
 MCLEARIE, J. *see* STOTT, D.I.
 MCMAHON, M.S. *see* KIRK, A.P.
 MCRURY, J., DE MESSIAS, I., WALZER, P.D., HUITGER, T. & GENTA, R.M. Specific IgE responses in human strongyloidiasis, 631
 MENASHI, S. *see* KIRK, A.P.
 MENGISTU, M., LARYEA, E., MILLER, A. & WALL, J.R. Clinical significance of a new autoantibody against a human eye muscle soluble antigen, detected by immunofluorescence, 19

- MENON, M. *see* DREXLER, H.G.
 MERONI, P.L., BARCELLINI, W., SINICO, R.A., FORNASIERI, A., SGUOTTI, C., INVERNIZZI, F., D'AMICO, G. & ZANUSSI, C. In vitro synthesis of IgM rheumatoid factor by lymphocytes from patients with essential mixed cryoglobulinaemia, 303
 MESSMORE, H.L. *see* DREXLER, H.G.
 MEYERS, W.M. *see* MODLIN, R.L.
 MIDDLETON, S.L. *see* McLACHLAN, S.M.
 MILLER, A. *see* MENGISTU, M.
 MILLER, D. *see* ITO, M.
 MILLS, G.B. *see* TEODORCZYK-INJEYAN, J.A.
 MINOWADA, J. *see* DREXLER, H.G.
 MIURA, M. *see* NOMOTO, H.
 MIYAZAKI, S. *see* YAMAMOTO, T.
 MIYASAKA, N., MUROTA, N., YAMAOKA, K., SATO, K., YAMADA, T., NISHIDO, T. & OKUDA, M. Interleukin 2 defect in the peripheral blood and the lung in patients with Sjögren's syndrome, 497
 MODLIN, R.L. *see* REA, T.H.
 MODLIN, R.L., ORMEROD, L.D., WALSH, G.P., REA, T.H., MEYERS, W.M., BINFORD, C.H., MARTIN, L.N., WOLF, R.H. & GORMUS, B.J. In situ characterization of T lymphocytes subpopulations in leprosy in the mangabey monkey, 260
 MOLLNES, T.E. NG, Y.C., PETERS, D.K., LEA, T., TSCHOPP, J. & HARBOE, M. Effect of nephritic factor on C3 and on the terminal pathway of complement *in vivo* and *in vitro*, 73
 MORIOKA, T. *see* KIMURA, S.
 MORRIS, R.W. *see* FULLER, R.W.
 MORROW, W.J.W. *see* HOMS, Y.
 MUKHERJEE, S., HEAP, P. & CARSWELL, F. Lanthanum penetration of the trachea after the immediate response of sensitized rats to aerosol antigen, 647
 MUROTA, N. *see* MIYASAKA, N.
 NABBE, A.J.J.M. *see* VAN BOHEMEN, CH.G.
 NAKAJIMA, H. *see* KOHNO, Y.
 NAKAMURA, T. *see* KIMURA, S.
 NANULESCU, M. *see* RUS, H.G.
 NATHAN, P.D., WALKER, L., HARDIE, D., RICHARDSON, P., KHAN, M., JOHNSON, G.D. & LING, N.R. An antigenic study of human plasma cells in normal tissue and in myeloma: identification of a novel plasma cell associated antigen, 112
 NELSON, L. *see* STOTT, D.I.
 NELSON, D.S. *see* KING, M.A.
 NG, Y.C. *see* MOLLNES, T.E.
 NG, Y.C. & PETERS, D.K. C3 nephritis factor (C3NeF): dissociation of cell-bound and fluid phase stabilization of alternative pathway C3 convertase, 450
 NICULESCU, F. *see* RUS, H.G.
 NIELSEN, O.H., ELMGREEN, J., THOMSEN, B.S., AHNELT-RONNE, I. & WIIG, A. Release of leukotriene B4 and 5-hydroxyicosatetraenoic acid during phagocytosis of artificial immune complexes by peripheral neutrophils in chronic inflammatory bowel disease, 465
 NIIMI, H. *see* KOHNO, Y.
 NISHIDO, T. *see* MIYASAKA, N.
 NÓBREGA, A.F., MALDONADO, M.S. & DOS REIS, G.A. Analysis of isolated and combined effects of calcium ionophore and phorbol ester on T lymphocyte activation, 559
 NOGUEIRA-QUEIROZ, J.A., LUTSCH, C., CAPRON, M., DESSAINT, J.P. & CAPRON, A. Detection and quantification of circulating antigen in schistosomiasis by a monoclonal antibody I. Specificity of analysis of a monoclonal antibody with immunodiagnostic capacity, 223
 NOGUEIRA-QUEIROZ, J.A. *see* FELDMEIER, H.
 NOMOTO, Y., SUGA, T., MIURA, M., NOMOTO, H., TOMINO, Y. & SAKAI, H. Characterization of an acidic nuclear protein recognized by autoantibodies in sera from patients with IgA nephropathy, 513
 NOVATI, R. *see* LAZZARIN, A.
 O'HARA, B.P. *see* KIRK, A.P.
 OITE, T. *see* KIMURA, S.
 OKUDA, M. *see* MIYASAKA, N.
 OLIVE, D. *see* LAURENT, F.
 OLJANS, P.J. *see* HENNY, F.C.
 OLSON, L.C. *see* WILSON, B.J.
 ORMEROD, L.D. *see* MODLIN, R.L.
 ONODOY, K. *see* PERL, A.
 ORVELL, C. *see* JONSSON, J.
 PAGE, C. *see* STEPHENS, S.
 PATRONE, F. *see* DALLEGGRI, F.
 PAUL, L.C. *see* HENNY, F.C.
 PEEST, D., GASCH, S., THIELE, C., BARTELS, B., BRUNKHORST, U., DALLMANN, I., HOFFMAN, M., SCHEDEL, I. & DEICHER, H. Regulation of the *in vitro* monoclonal immunoglobulin production in cultures of peripheral blood mononuclear cells and bone marrow cells from myeloma patients mediated by T cell dependent mitogens, 120
 PEGG, C.A.S. *see* McLACHLAN, S.M.
 PEIXOTO-QUEIROZ, M.A. *see* FELDMEIER, H.
 PERL, A., GONZALEZ-CABELLO, R., ONODOY, K., BODO, I. & GERGELY, P. Independence of depressed lectin-dependent cell-mediated cytotoxicity from interleukin 2 production in patients with systemic lupus erythematosus, 286
 PETERS, D.K. *see* MOLLNES, T.E.
 PETERS, D.K. *see* NG, Y.C.
 PETERS, W.J. *see* TEODORCZYK-INJEYAN, J.A.
 PICCOLELLA, E., DOLEI, A., LOMBARDI, G., VISMARA, D., PIZZOLI, P., COLIZZI, V. & DIANZANI, F. Regulation of immune production during the response to soluble microbial antigens, 191
 PIERCE, R. *see* DAMONNEVILLE, M.
 PINCHERA, A. *see* DEL PRETE, G.F.
 PIZZOLI, P. *see* PICCOLELLA, E.
 POLI, G. *see* LAZZARIN, A.
 PONCELET, P. *see* LAURENT, G.
 POULTER, L.W. *see* CAMPBELL, D.A.
 PRETELL, J.O. & FALCHUK, Z.M. Generation of suppressor macrophages during the human autologous mixed lymphocyte reaction, 158
 PRIN, L. *see* GOSSET, P.
 PROCTOR, S.J. *see* McLACHLAN, S.M.
 PROUD, G. *see* McLACHLAN, S.M.
 PROWSE, C.V. *see* DI MARIO, U.
 PUJOL-BORRELL, R., TODD, I., DOSHI, M., GRAY, D., FELDMANN, M. & BOTTAZZO, G.F. Differential expression and regulation of the MHC products in the endocrine and exocrine cells of the human pancreas, 128

- RASKA, K. *see* EBERT, E.C.
 REA, T.H., SHEN, J.-Y. & MODLIN, R.L. Epidermal keratinocyte Ia expression, Langerhans' cell hyperplasia and lymphocytic infiltration in skin lesion of leprosy, 253
 REA, T.H. *see* MODLIN, R.L.
 REES SMITH, B. *see* McLACHLAN, S.M.
 REINPRECHT, C. *see* SCOVERN, H.
 RICCI, M. *see* DEL PRETE, G.F.
 RICHARDSON, P. *see* NATHAN, P.D.
 RICHMOND, R. *see* FULLER, R.W.
 ROBERTS, A.I. *see* EBERT, E.C.
 ROCHE, W.R. *see* KING, M.A.
 ROMAGNANI, S. *see* DEL PRETE, G.F.
 ROVAGNATI, P. *see* DI PADOVA, F.
 ROWE, I.F. *see* HUNNEYBALL, I.M.
 RUS, H.G., NICULESCU, F., NANULESCU, M., CRISTEA, A. & FLORESCU, P. Immunohistochemical detection of the terminal C5b-9 complement complex in children with glomerular disease, 66
 SAKAI, H. *see* NOMOTO, Y.
 SAKIYAMA, Y. *see* HASHIMOTO, F.
 SAKURAI, A. *see* KIMURA, S.
 SAMUEL, D.J., AMLOT, P.L., SHEPHERD, P. & LACHMANN, P.J. An efficient one-step method for isolating immune complexes from whole serum using a monoclonal anti-C3g affinity immunosorbent, 458
 SATO, K. *see* MIYASAKA, N.
 SCHEDEL, I. *see* PEEST, D.
 SCHILLING, W. *see* JONSSON, J.
 SCHOT, J.D.L. & SCHURMAN, R.K.B. Blood transfusion suppresses cutaneous cell-mediated immunity, 336
 SCHURMAN, R.K.B. *see* SCHOT, J.D.L.
 SCOVERN, H. & REINPRECHT, C. Cellular cooperation in the expression of murine delayed-type hypersensitivity (DTH): dual roles of accessory cells, 345
 SQUOTTI, C. *see* MERONI, P.L.
 SHEN, J.-Y. *see* REA, T.H.
 SHEPHERD, P. *see* SAMUEL, D.J.
 SHIIGI, S.M. *see* WILSON, B.J.
 SHIMIZU, F. *see* KIMURA, S.
 SHIMOJO, N. *see* KOHNO, Y.
 SHORE, A., JAGLAI, S. & KEYSTONE, E.C. Enhanced interleukin 1 generation by monocytes *in vitro* is temporally linked to an early event in the onset of exacerbation of rheumatoid arthritis, 293
 SINICO, R.A. *see* MERONI, P.L.
 SPARKES, B.G. *see* TEODORCZYK-INJEYAN, J.A.
 SPENCER, J., DILLON, S.B., ISAACSON, P.G. & MACDONALD, T.T. T Cell subclasses in fetal human ileum, 553
 SPOWAGE, M. *see* HUNNEYBALL, I.M.
 STARR, S.E. *see* ITO, M.
 STEPHENS, S., DUFFY, S.W. & PAGE, C. A longitudinal study of γ -interferon production by peripheral blood mononuclear cells from breast- and bottle-fed infants, 396
 STEWART, J. *see* GLASS, E.J.
 STOCKS, M.R. *see* BRENNAN, F.M.
 STOCKS, M.R. *see* WILLIAMS, D.G.
 STOTT, D.I., MCLEARIE, J. & NEILSON, L. Analysis of the clonal origins of antibodies against thyroglobulin and DNA in autoimmune thyroiditis and systemic lupus erythematosus, 520
 SUGA, T. *see* NOMOTO, Y.
 SYKES, D. *see* FULLER, R.W.
 TANKE, H.J. *see* HENNY, F.C.
 TEODORCZYK-INJEYAN, J.A., SPARKES, B.G., MILLS, G.B., PETERS, W.J. & TALK, R.E. Impairment of T cell activation in burn patients: a possible mechanism of thermal injury-induced immunosuppression, 570
 THIELE, C. *see* PEEST, D.
 THOMSEN, B.S. *see* NIELSEN, O.H.
 TIRI, A. *see* DEL PRETE, G.F.
 TODD, I. *see* PUJOL-BORRELL, R.
 TOMINO, Y. *see* NOMOTO, Y.
 TONNEL, A.-B. GOSSET, P.
 TRITAPEPE, R. *see* DI PADOVA, F.
 TSCHOPP, J. *see* MOLLNES, T.E.
 TSOKOS, G.C. *see* DIEU, J.Y.
 UBERTI FOPPA, C. *see* LAZZARIN, A.
 VAN BOHEMEN, CH. G., NABBE, A.J.J.M., GRUMET, F.C., LANDHEER, J.E., DINANT, H.J. & ZANEN, H.C. Lack of correlation between HLA-B27 like antigenic epitopes on *Shigella flexneri* and the occurrence of reactive arthritis, 679
 VAN ES, A. *see* HENNY, F.C.
 VAN ES, L.A. *see* HENNY, F.C.
 VAN RAPPARD-VAN DER VEEN, F.M. *see* KIMURA, M.
 VARDELL, I.M. *see* FULLER, R.W.
 VERCELLI, D. *see* DEL PRETE, G.F.
 VERWAERDE, C. *see* DIAMONNEVILLE, M.
 VISMARA, D. *see* PICCOLELLA, E.
 WALKER, L. *see* NATHAN, P.D.
 WALL, J.R. *see* MENGISTU, M.
 WALSH, G.P. *see* MODLIN, R.L.
 WALZER, P.D. *see* MCRURY, J.
 WATT, G. *see* FARMER, L.M.
 WEBSTER, A.D.B. *see* GOLAY, J.T.
 WEIR, D.M. *see* GLASS, E.J.
 WESTACOTT, C. *see* WHICHER, J.T.
 WHICHER, J.T., GILBERT, A.M., WESTACOTT, C., HUTTON, C. & DIEPPE, P.A. Defective production of leucocyte endogenous mediator (interleukin 1) by peripheral blood leucocytes of patients with systemic sclerosis, systemic lupus erythematosus, rheumatoid arthritis and mixed connective tissue disease, 80
 WIJK, A. *see* NIELSEN, O.H.
 WILLIAMS, D.G., BRENNAN, F.M., STOCKS, M.R. & MAINI, R.N. Individual variation of anti-Sm autoantibodies in the Mrl/MP-lpr/lpr mouse: age-related increase in diversity, 506
 WILLIAMS, D.G. *see* BRENNAN, F.M.
 WILSON, B.J., SHIIGI, S.M., ZEIGLER, J.L., OLSON, L.C., MALLEY, A. & HOWARD, C.F. Neutralizing antibody prevents Type D retrovirus viremia in Celebes black macaques, 265
 WOLF, R.H. *see* MODLIN, R.L.
 YAKATA, M. *see* KIMURA, S.
 YAMADA, T. *see* MIYASAKA, N.

- YAMAMATO, T., MIYAZAKI, S., KAWASAKI, K., YOUNG, C. *see* HOFFMAN-GOETZ, L.
YAOITA, E. & KIHARA, I. Rat bovine serum albumin (BSA) nephritis VI. The influence of chemically altered antigen, 51
YAMAOKA, K. *see* MIYASAKA, N.
YAOITA, E. *see* YAMAMOTO, T.
ZANEN, H.C. *see* VAN BOHEMEN, CH.G.
ZANUSSI, C. *see* MERONI, P.L.
ZEIGLER, J.L. *see* WILSON, B.J.
ZLOTNICK, A.Y. *see* EILAT, D.

SUBJECT INDEX

- Acute myeloid leukaemias, 363
- Acute phase proteins, 311
- Agammaglobulinaemia, X-linked, 90
- AIDS, 105
- Allergic bronchopulmonary aspergillosis, 206
- Allergy, 416
- Ankylosing spondylitis, 679
- Antibodies, 198
 - anticardiolipin, 269
 - anticollagen, 671
 - anti-DNA, 215, 269, 520
 - anti-Sm, 42
 - dependent cellular toxicity, 244, 387
 - eye muscle, 19
 - IgE, 631
 - macrosomal, 319
 - natural, 215
 - neutralizing, 265
 - thyroglobulin, 319
- Anti-DNA, 1
- Anti-C3g, 458
- Antigen, 647
 - charge, 51
 - circulating, 223
 - circulating schistosome, 232
 - major, 206
 - nuclear, 513
 - presentation, 614
 - Tac, 140, 354, 570
- Antiglobulins, 1
- Antinuclear factor, 513
- Anti-thymocyte globulin, 373
- Anti-thyroglobulin, 1
- Arachidonic acid, 465
- Arthritis, 311, 329
- Aspergillus fumigatus*, 206
- Autoantibodies, 10, 215, 534
- Autoimmune
 - disease, 42
 - nephropathy, 28
 - thyroiditis, 520
- Autoimmunity, 1, 128, 319, 520, 534
- Autologous mixed leucocyte reaction, 158, 401
- B cells, 582, 589
 - activation, 112
 - differentiation factor, 598
 - growth factor, 598
 - lymphomas, 354
 - maturation and differentiation, 90
 - polyclonal activation, 10
- Blood transfusion, 336
- B lymphocytes, 100, 303, 598
- Bottle-feeding, 396
- Breast-feeding, 396
- Burn patients, 570
- C3, 73
- C3 nephritic factor, 450
- C5, 450
- Calcium ionophore, 559
- Candida albicans*, 190
- Catalase, 664
- Cell-mediated immunity, 279, 336
- Cells
 - accessory, 345
 - beta, 128
 - plasma, 112
- Cellular immunology, 345
- Chemotactic factors, 645
- Chemotaxis, 105, 622
- Chronic thyroiditis, 534
- Clonal analysis, 140
- Complement, 172
 - activation, 73, 450
 - components, 66
 - terminal complex, 73
 - terminal C5b-9 complex, 66
- Crohn's disease, 465
- Cross-reaction, 215, 443
- Cryptococcal polysaccharide, 639
- Cyclosporin A, 373
- Cytotoxicity, 664
- Delayed type hypersensitivity, 329, 345
- Diabetes, 614
- Diabetes, mellitus, 57
- Type 1 diabetes, 128
- Diet, 473
- Dinitrochlorobenzene, 336
- DNA, 10
 - Effect of treatment, 232
 - Endothelial cells, 589
 - Enterobacteria, 679
 - Equid Herpesvirus-1, 172
 - Essential mixed cryoglobulinaemia, 303
 - Experimental autoimmune disease, 34
- FAB system, 363
- Fetal human ileum, 553
- Gammaglobulin
 - preparations, 409
 - therapy, 683
- Gamma-interferon, 128, 387, 396
- Giardia muris*, 622
- Glomerular diseases, 66
- Glomerulonephritis, 51
- Glucocorticoids, 387
- Glycosylation, 51
- Gonorrhoea, 198
- Graft-versus-host autoimmunity, 542
- Graves'
 - disease, 19
 - ophthalmopathy, 19
- H-2 subregion, 542
- Haemodialysis, 336
- Hashimoto's thyroiditis, 140
- Non-A non-B hepatitis, 683
- Heymann nephritis, 28
- HLA-B27, 679

- HLA-DR, 387
 HLA-DR antigen expression, 165
 HTLV-III/LAV, 489
 Hypereosinophilic syndrome, 654
 Hypersensitivity, 647
 Hypogammaglobulinaemia, 100, 683
- Idiotypic, 1, 42
 IgA, deficiency, 434
 nephropathy, 513
 IgE, 244
 IgG subclasses, 427, 434
 Immune complex, 51, 57, 458, 465, 671
 Immune complex glomerulonephritis, 34
 Immunization tolerance, 639
 Immunoblot, 506
 Immunodeficiency, 683
 Immunofluorescence, 19
 Immunoglobulin BE, 416
 Immunoglobulins, 66, 582
 Immunoglobulin synthesis, 401, 409
 Immunological monitoring, 373
 Immunoregulation, 120, 158, 598
 Immunosuppression, 336, 570
 Infections, pneumococcal, 427
 Inflammation, 622
 Insulin-anti-insulin complexes, 57
 Interferon, 172, 190
 Interleukin 1, 80, 293, 381, 497, 598
 Interleukin 2, 190, 286, 293, 497, 598
 inhibitor, 279
 receptors, 559, 570
 Isoelectric focusing, 381
 Isolation, 458
- Keratinocyte Ia, 253
- Langerhans' cells, 253
 Lanthanum penetration, 647
 LDCC, 286
 Leprosy, 253, 260
 Leukaemia, 363
 Leukocyte, polymorphonuclear, 105, 172
 Lipopolysaccharide, 443
 Local passive transfer, 345
 Lupus, 215, 269
 Lymphadenopathy, 105
 Lymphocytes, intraepithelial, 148
 Lymphokines, 598
- Macaca nigra*, 265
 Macrophages, 416, 622
 alveolar, 165
 lectin receptor, 614
 suppressor, 158
 Malnutrition, 381
 Mangabey, 260
 MHC-products, 128
 MRL mice, 42
 Mice, 311
 DBA-1, 329
 MRL, 42, 506
 NZB/NZW, 269
 Microdensitometry, 165
 Monoclonal
 ANA, 605
 anti-actin, 605
 antibodies, 112, 165, 363, 443
 autoantibody, 28
 Ig, 120
 Monocytes, 172, 387
 Mononuclear cells, 396
 Mucosa, intestinal, 148
 Myeloma, 112
 multiple, 120
- Natural killer function, 140
 Natural killing, 182
 Nephritic factor, 73
 Neutrophils, 664
 nRNP, 506
 Nuclear affinity for polyinosin, 605
 Nutrition, 473
- Pepsinogen, 671
 Phagocytosis, 465, 622
 killing, 105
 Phorbol ester, 559
 Platelet factors, 57
 Pokeweed mitogen, 409, 589
 Polymorphonuclear leukocytes, 465
 Polysaccharide extract, 190
 Prostaglandin, 497
 Protection, 244
 Protein purified derivative, 190
 Proteins, acute phase, 80
 Pulmonary sarcoidosis, 165
- Rabbits, 311
 Radioimmunoassay, 223
 Reactive arthritis, 679
 Reiter's syndrome, 679
 Retinopathy, proliferative 57
 Retrovirus type D, 265
 Rheumatoid arthritis, 80, 279, 293, 671
 Rheumatoid factor, 303
- SAIDS/RF, 265
Schistosoma mansoni, 244
 Schistosomes, 223
 Schistosomiasis, human, 232
 Serum eosinophil, 654
 Sjögren's syndrome, 497
 Sm, 506
 Specificity, 198
 Spectrotype, 506
 Strongyloides stercoralis, 631
 Strongyloidiasis, 631
 Suppressor macrophages, 497
 Suppressor T cell, 381
 Surface markers, 363
 Surgery, 582
 Syphilis, 269
 Systemic sclerosis, 80
 Systemic lupus erythematosus, 80, 279, 286, 520, 598
- Target of suppressor mechanisms, 401
 T cells, 120
 activation, 559
 cytotoxic, 140
 subclasses, 553
 T helper lymphocytes, 489

Thrombosane B2, 416
Thyroid disease, 319
 lymphocytes, 319
Thyroid peroxidase, 534
T lymphocytes, 260
 proliferation, 148
 subpopulations, 373
Trachea, 647

Transplant renal, 373
Trypanosomiasis, 10
Type II collagen, 329

Ulcerative colitis, 465

Varicella-zoster virus, 182



